

Cambooya Area Bird species list

as at December 2025

Data extracted from BIRDDATA System - Species organised by order, and then by reporting rate (highest to lowest) — which basically means most seen to least seen.

Information kindly supplied by Scot McPhie, Birds on Farms Project
Coordinator Lockyer-Toowoomba QLD

Casuariiformes			
Galliformes			
Australian Brush-turkey	Alectura lathamii	181	37.63%
Brown Quail	Synoicus ypsilophorus	16	3.33%
Stubble Quail	Coturnix pectoralis	12	2.49%
Anseriformes			
Australian Wood Duck	Chenonetta jubata	63	13.10%
Pacific Black Duck	Anas superciliosa	39	8.11%
Grey Teal	Anas gracilis	13	2.70%
Plumed Whistling-Duck	Dendrocygna eytoni	10	2.08%
Pink-eared Duck	Malacorhynchus membranaceus	5	1.04%
Hardhead	Aythya australis	4	0.83%
Podicipediformes			
Australasian Grebe	Tachybaptus novaehollandiae	8	1.66%
Hoary-headed Grebe	Poliiocephalus poliocephalus	1	0.21%
Columbiformes			
Crested Pigeon	Ocyphaps lophotes	312	64.86%
Spotted Dove	Spilopelia chinensis	87	18.09%
Bar-shouldered Dove	Geopelia humeralis	86	17.88%
Rock Dove	Columba livia	60	12.47%
Wonga Pigeon	Leucosarcia melanoleuca	22	4.57%
Peaceful Dove	Geopelia placida	13	2.70%
Common Bronzewing	Phaps chalcoptera	8	1.66%
Brown Cuckoo-Dove	Macropygia phasianella	1	0.21%
Topknot Pigeon	Lopholaimus antarcticus	1	0.21%
Cuculiformes			
Pheasant Coucal	Centropus phasianinus	78	16.22%
Eastern Koel	Eudynamys orientalis	56	11.64%
Channel-billed Cuckoo	Scythrops novaehollandiae	48	9.98%
Horsfield's Bronze-Cuckoo	Chalcites basalis	4	0.83%
Pallid Cuckoo	Heteroscenes pallidus	4	0.83%
Fan-tailed Cuckoo	Cacomantis flabelliformis	3	0.62%
Little Bronze-Cuckoo	Chalcites minutillus	1	0.21%
Podargiformes			

Tawny Frogmouth	Podargus strigoides	61	12.68%
Gruiformes			
Dusky Moorhen	Gallinula tenebrosa	13	2.70%
Buff-banded Rail	Hypotaenidia philippensis	3	0.62%
Eurasian Coot	Fulica atra	3	0.62%
Charadriiformes			
Masked Lapwing	Vanellus miles	95	19.75%
Banded Lapwing	Vanellus tricolor	4	0.83%
Black-fronted Dotterel	Elseya melanops	2	0.42%
Little Button-quail	Turnix velox	2	0.42%
Pelecaniformes			
Australian Pelican	Pelecanus conspicillatus	5	1.04%
Nankeen Night-Heron	Nycticorax caledonicus	2	0.42%
Cattle Egret	Bubulcus ibis	32	6.65%
White-necked Heron	Ardea pacifica	9	1.87%
Great Egret	Ardea alba	5	1.04%
Plumed Egret	Ardea plumifera	1	0.21%
White-faced Heron	Egretta novaehollandiae	30	6.24%
Australian White Ibis	Threskiornis moluccus	32	6.65%
Straw-necked Ibis	Threskiornis spinicollis	49	10.19%
Yellow-billed Spoonbill	Platalea flavipes	3	0.62%
Royal Spoonbill	Platalea regia	2	0.42%
Suliformes			
Little Pied Cormorant	Microcarbo melanoleucos	18	3.74%
Little Black Cormorant	Phalacrocorax sulcirostris	3	0.62%
Great Pied Cormorant	Phalacrocorax varius	2	0.42%
Australasian Darter	Anhinga novaehollandiae	3	0.62%
Accipitriformes			
Black-shouldered Kite	Elanus axillaris	56	11.64%
Square-tailed Kite	Lophoictinia isura	1	0.21%
Pacific Baza	Aviceda subcristata	15	3.12%
Wedge-tailed Eagle	Aquila audax	25	5.20%
Little Eagle	Hieraaetus morphnoides	1	0.21%
Swamp Harrier	Circus approximans	1	0.21%
Spotted Harrier	Circus assimilis	14	2.91%
Grey Goshawk	Accipiter novaehollandiae	1	0.21%
Brown Goshawk	Accipiter fasciatus	9	1.87%
Whistling Kite	Haliastur sphenurus	2	0.42%
Black Kite	Milvus migrans	1	0.21%
Strigiformes			
Barn Owl	Tyto alba	2	0.42%
Southern Boobook	Ninox boobook	5	1.04%

Coraciiformes			
Laughing Kookaburra	Dacelo novaeguineae	163	33.89%
Oriental Dollarbird	Eurystomus orientalis	33	6.86%
Sacred Kingfisher	Todiramphus sanctus	12	2.49%
Rainbow Bee-eater	Merops ornatus	1	0.21%
Forest Kingfisher	Todiramphus macleayii	1	0.21%
Red-backed Kingfisher	Todiramphus pyrrhopygius	1	0.21%
Falconiformes			
Nankeen Kestrel	Falco cenchroides	99	20.58%
Brown Falcon	Falco berigora	11	2.29%
Black Falcon	Falco subniger	11	2.29%
Australian Hobby	Falco longipennis	6	1.25%
Peregrine Falcon	Falco peregrinus	2	0.42%
Psittaciformes			
Galah	Eolophus roseicapilla	285	59.25%
Pale-headed Rosella	Platycercus adscitus	252	52.39%
Rainbow Lorikeet	Trichoglossus moluccanus	238	49.48%
Sulphur-crested Cockatoo	Cacatua galerita	145	30.15%
Scaly-breasted Lorikeet	Trichoglossus chlorolepidotus	114	23.70%
Little Corella	Cacatua sanguinea	102	21.21%
Red-rumped Parrot	Psephotus haematonotus	92	19.13%
Cockatiel	Nymphicus hollandicus	59	12.27%
Australian King-Parrot	Alisterus scapularis	44	9.15%
Yellow-tailed Black-Cockatoo	Zanda funerea	19	3.95%
Musk Lorikeet	Glossopsitta concinna	7	1.46%
Little Lorikeet	Glossopsitta pusilla	7	1.46%
Eastern Rosella	Platycercus eximius	2	0.42%
Bluebonnet	Northiella haematogaster	1	0.21%
Passeriformes			
Regent Bowerbird	Sericulus chrysocephalus	1	0.21%
Satin Bowerbird	Ptilonorhynchus violaceus	6	1.25%
White-throated Treecreeper	Cormobates leucophaea	1	0.21%
Brown Treecreeper	Climacteris picumnus	1	0.21%
Variegated Fairy-wren	Malurus lamberti	13	2.70%
Superb Fairy-wren	Malurus cyaneus	100	20.79%
Red-backed Fairy-wren	Malurus melanocephalus	17	3.53%
White-winged Fairy-wren	Malurus leucopterus	3	0.62%
Scarlet Honeyeater	Myzomela sanguinolenta	5	1.04%
Striped Honeyeater	Plectorhyncha lanceolata	13	2.70%
Noisy Friarbird	Philemon corniculatus	87	18.09%
Little Friarbird	Philemon citreogularis	2	0.42%
Brown Honeyeater	Lichmera indistincta	75	15.59%
White-eared Honeyeater	Nesoptilotis leucotis	1	0.21%
Blue-faced Honeyeater	Entomyzon cyanotis	16	3.33%

Brown-headed Honeyeater	Melithreptus brevirostris	2	0.42%
White-naped Honeyeater	Melithreptus lunatus	1	0.21%
Lewin's Honeyeater	Meliphaga lewinii	138	28.69%
Spiny-cheeked Honeyeater	Acanthagenys rufogularis	1	0.21%
Red Wattlebird	Anthochaera carunculata	2	0.42%
Yellow-faced Honeyeater	Caligavis chrysops	43	8.94%
Yellow-tufted Honeyeater	Lichenostomus melanops	1	0.21%
Noisy Miner	Manorina melanocephala	305	63.41%
Yellow-throated Miner	Manorina flavigula	5	1.04%
Spotted Pardalote	Pardalotus punctatus	24	4.99%
Striated Pardalote	Pardalotus striatus	112	23.28%
White-throated Gerygone	Gerygone olivacea	75	15.59%
Western Gerygone	Gerygone fusca	2	0.42%
Weebill	Smicrornis brevirostris	6	1.25%
Speckled Warbler	Pyrrholaemus sagittatus	2	0.42%
White-browed Scrubwren	Sericornis frontalis	40	8.32%
Yellow-rumped Thornbill	Acanthiza chrysorrhoa	76	15.80%
Yellow Thornbill	Acanthiza nana	5	1.04%
Brown Thornbill	Acanthiza pusilla	23	4.78%
Grey-crowned Babbler	Pomatostomus temporalis	15	3.12%
White-browed Babbler	Pomatostomus superciliosus	1	0.21%
Varied Sittella	Daphoenositta chrysoptera	5	1.04%
Ground Cuckoo-shrike	Coracina maxima	6	1.25%
Black-faced Cuckoo-shrike	Coracina novaehollandiae	143	29.73%
White-bellied Cuckoo-shrike	Coracina papuensis	1	0.21%
Common Cicadabird	Edolisoma tenuirostre	1	0.21%
White-winged Triller	Lalage tricolor	6	1.25%
Varied Triller	Lalage leucomela	1	0.21%
Rufous Whistler	Pachycephala rufiventris	27	5.61%
Golden Whistler	Pachycephala pectoralis	22	4.57%
Grey Shrike-thrush	Colluricincla harmonica	18	3.74%
Eastern Whipbird	Psophodes olivaceus	121	25.16%
Australasian Figbird	Sphecotheres vieilloti	22	4.57%
Olive-backed Oriole	Oriolus sagittatus	26	5.41%
Pied Currawong	Strepera graculina	176	36.59%
Australian Magpie	Gymnorhina tibicen	317	65.90%
Pied Butcherbird	Cracticus nigrogularis	146	30.35%
Grey Butcherbird	Cracticus torquatus	168	34.93%
Black-faced Woodswallow	Artamus cinereus	1	0.21%
Spangled Drongo	Dicrurus bracteatus	8	1.66%
Willie Wagtail	Rhipidura leucophrys	125	25.99%
Rufous Fantail	Rhipidura rufifrons	14	2.91%
Grey Fantail	Rhipidura albiscapa	48	9.98%
Torresian Crow	Corvus orru	252	52.39%
Australian Raven	Corvus coronoides	3	0.62%
Leaden Flycatcher	Myiagra rubecula	11	2.29%
Satin Flycatcher	Myiagra cyanoleuca	2	0.42%
Restless Flycatcher	Myiagra inquieta	9	1.87%

Magpie-lark	<i>Grallina cyanoleuca</i>	274	56.96%
White-winged Chough	<i>Corcorax melanorhamphos</i>	3	0.62%
Apostlebird	<i>Struthidea cinerea</i>	2	0.42%
Rose Robin	<i>Petroica rosea</i>	1	0.21%
Red-capped Robin	<i>Petroica goodenovii</i>	1	0.21%
Jacky Winter	<i>Microeca fascinans</i>	2	0.42%
Eastern Yellow Robin	<i>Eopsaltria australis</i>	15	3.12%
Mistletoebird	<i>Dicaeum hirundinaceum</i>	10	2.08%
Chestnut-breasted Mannikin	<i>Lonchura castaneothorax</i>	12	2.49%
Red-browed Finch	<i>Neochmia temporalis</i>	21	4.37%
Plum-headed Finch	<i>Neochmia modesta</i>	1	0.21%
Zebra Finch	<i>Taeniopygia castanotis</i>	33	6.86%
Double-barred Finch	<i>Taeniopygia bichenovii</i>	83	17.26%
House Sparrow	<i>Passer domesticus</i>	34	7.07%
Australasian Pipit	<i>Anthus novaeseelandiae</i>	23	4.78%
Horsfield's Bushlark	<i>Mirafrja javanica</i>	20	4.16%
Golden-headed Cisticola	<i>Cisticola exilis</i>	66	13.72%
Brown Songlark	<i>Cincloramphus cruralis</i>	7	1.46%
Tawny Grassbird	<i>Cincloramphus timoriensis</i>	15	3.12%
Little Grassbird	<i>Poodytes gramineus</i>	2	0.42%
Australian Reed-Warbler	<i>Acrocephalus australis</i>	9	1.87%
Fairy Martin	<i>Petrochelidon ariel</i>	31	6.44%
Tree Martin	<i>Petrochelidon nigricans</i>	20	4.16%
Welcome Swallow	<i>Hirundo neoxena</i>	58	12.06%
Silvereye	<i>Zosterops lateralis</i>	46	9.56%
Common Starling	<i>Sturnus vulgaris</i>	81	16.84%
Common Myna	<i>Acridotheres tristis</i>	135	28.07%
Crow & Raven spp		22	4.57%
Fairy-wren spp		3	0.62%
Brown Goshawk/Collared Sparrowhawk spp		1	0.21%
Fairy/Tree Martin spp		1	0.21%